

INVITATION FOR BID

ISSUING OFFICE:

[Signature]
CLAUDIA S. ACFALLE
Chief Procurement Officer

GENERAL SERVICES AGENCY
GOVERNMENT OF GUAM
148 ROUTE 1, MARINE DRIVE
PITI, GUAM 96915

DATE ISSUED: May 09, 2013

BID INVITATION NO: GSA-082-13

BID FOR: SAMPLING & ANALYSIS OF STORMWATER RUN-OFF FOR UNDERGROUND
INJECTION CONTROL WELLS/SYSTEM

SPECIFICATION: See Attached

DESTINATION: DEPARTMENT OF PUBLIC WORKS - HIGHWAY DIVISION

REQUIRED DELIVERY DATE: 90 Days upon receipt of purchase order

INSTRUCTION TO BIDDERS:

INDICATE WHETHER: INDIVIDUAL PARTNERSHIP CORPORATION

INCORPORATED IN: GUAM

This bid shall be submitted in duplicate and sealed to the issuing office above no later than (Time) 11:00AM Date: 5/24/13 and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions, and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within 60 calendar days from the date opening to supply any or all the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:
Unitek Environmental Guam
P.O. Box 24607
Barrigada, GU 96921

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS BID:
[Signature]
PRESIDENT

AWARD: CONTRACT NO. GSA-082-13 AMOUNT \$30,400.00 DATE: _____

ITEM NO(S). AWARDED: 1.1 Sampling & Analysis of Stormwater Run-Off for Underground Injection Control Wells/System.

CONTRACTING OFFICER:
[Signature]
CLAUDIA S. ACFALLE
Chief Procurement Officer

NAME AND ADDRESS OF CONTRACTOR:
Unitek Environmental Guam
P.O. Box 24607
Barrigada, Guam 96921

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS CONTRACT:
[Signature]