

Eddie Baza Calvo

Governor



Anthony C. Blaz

Director, Dept. of Admin.

GENERAL SERVICES AGENCY

Government of Guam

148 Route 1 Marine Drive Corp

Piti, Guam 96915

Ray Tenorio

Lt. Governor

Deputy Director


October 26, 2015

**INVITATION FOR BID GSA-001-16
Paseo Baseball Stadium Portable Bleacher Seating**

AMENDMENT #2

1. Amend to replace page 28 of 28 with the "REVISED October 26, 2015" page 28 of 29 (Attached)
2. Amend to include page 29 of 29 "SITE MAP" as Attachment "A" (Attached)

All others remain unchanged


CLAUDIA S. ACFALLE
Chief Procurement Officer

ITEM NO.	DESCRIPTION	QTY/UOM	UNIT PRICE	PRICE EXTENSION
1.1	Paseo Baseball Stadium Portable Bleacher Seating As per the following specifications	4 EA.	\$ _____	\$ _____
	Option to purchase additional Portable Bleacher Seating	10 EA.	\$ _____	\$ _____

Reference: Highland Products (or equal)

SPECIFICATIONS:

Furnish and install 15 row aluminum Bleacher (14' – 9"H x 33' – 0"L x 29' – 6"D With seating capacity of 274. Bleacher shall be constructed of industrial grade, high quality anodized aluminum and complimented by a chain link fence and guard rail to make a complete, IBC Compliant Bleacher System.

Unit shall include a 60" center aisle with guard rail and double foot planking.

Installation location is at the Paseo Baseball Stadium. Concrete pad excluded In this IFB. Field area shall be leveled and compacted prior to assembly and Placement on site, complete and ready to use.

The total are to be compacted shall be not less than four (4) feet around the Footprint of the base of the structure or total footprint of structure + 4'x-0".

All aluminum bleachers shall carry, after proper erection, and under normal Use for this type of structure, a one (1) year warranty against all defects in Material and workmanship.

Note: Price must be inclusive of all shipping/handling fees, delivery, and installation

BIDDING ON:

MANUFACTURER: _____

MAKE: _____

MODEL: _____

PLACE OF ORIGIN: _____

DATE OF DELIVERY: _____

BIDDING ON OR REMARKS:

These specifications were developed by the staff of the Department of Parks and Recreation and approved by: Robert Lizama, Director DPR

