



EDWARD M. BIRN
Director (Direktot)

EDITH C. PANGELINAN
Deputy Director (Sigundo Direktot)

DEPARTMENT OF ADMINISTRATION

DIPATTAMENTON ATMENESTRASION

GENERAL SERVICES AGENCY

(Ahensian Setbision Hinirat)

Telephone (Telfon): (671) 475-1707/1729 • Fax (Faks): (671) 472-4217/1727



LOURDES A. LEON GUERRERO
Governor (Maga'hága)

JOSHUA F. TENORIO
Lt. Governor (Sigundo Maga'láhi)



October 07, 2020

INVITATION FOR BID - GSA-043-20

4x4 UTILITY TRACTOR W/ROTARY MOWER/CUTTER; TRAILER 20 TON TAG ALONG;
ZERO TURN RIDING MOWER; UTILITY TRAILER 2 TON TANDEM AXLES

AMENDMENT #2

1. Amend to change "Bid Opening" date from: October 12, 2020 at 11:00am to now read:
October 19, 2020 at 10:00am.

2. Amend to change on page 3 & 4 of 51 the following "Required Delivery Date":

From:

Required Delivery Date: 45 Days Upon Receipt of Purchase Order. For a period of One (1) year on an as needed basis upon availability of funds.

To Now Read:


Required Delivery Date: 180 Days Upon Receipt of Purchase Order. For a period of One (1) year on an as needed basis upon availability of funds.

3. Amend to replace pages 39, 43 & 44 of 51 with the "Revised 10/07/20" page 39, 43 & 44 of 51(attached)

4. Amend to delete on page 40 of 51 under "SPECIFICATIONS" the following:

Delete: Electric Breakaway requirements.

All others remain unchanged.



CLAUDIA S. ACFALLE
Chief Procurement Officer

Please Print

ACKNOWLEDGEMENT COPY (Re-fax to GSA)

Received By: _____

Date: _____

Company Name: _____

Fax to: 475-1727 or 472-4217

E-mail to: gsaprocurement@gsadoa.guam.gov

ITEM NO.	DESCRIPTION	QTY	UOM	UNIT PRICE	PRICE EXTENSION
2.0	Trailer, Tag along 20 Ton Capacity (Latest Model) as per the following specifications:	2	EA.	\$ _____	\$ _____

REQUISITION: Q20-1000-048

GENERALS:

These specifications have been written to describe minimum equipment and performance requirements to be supplied. Reasonable test may be conducted upon delivery before acceptance.

All necessary and desirable information\instructions for the proper operation of the equipment shall be provided.

Each vehicle\equipment shall be new / unused current model year or later.
Shall meet all DOT\USEPA and OSHA requirements applicable to Guam.

Each vehicle\equipment shall be supplied with all standard equipment and accessories indicated in manufacturer's published literature/brochure unless specifically deleted as stated in this specification. Optional equipment necessary to meet the requirements of this specification shall be installed.

Brand Names: Manufacturers' brands and stock/part numbers specified do not denote a preference for that make, but specify the level of quality necessary. Alternate brands found to be equal to or greater in quality to the brand specified may be accepted, however, the burden to prove equality shall rest with the bidder.

The subject specifications were drafted to allow for reasonable bid competition, however, needed to be tailored to meet the needs of the **Department of Public Works**. The minimum requirements specified were established through market research of product availability and capabilities with references and recommendations from local dealerships. The specifications were based on the following makes and models, therefore, bid proposals shall meet or exceed: **Eager Beaver 20 XPT, Globe 20TA160616, Rampant 20 ton and B&A 8.525T20T**

DISCREPANCIES LISTED:

Should any offeror have deviations from these specifications and cannot meet requirements of the specifications, a letter shall be submitted and attach to the proposal explaining the deviations. Failure to do so will cause the proposal to be rejected as being non-responsive.

SPECIFICATIONS:

BIDDING ON / REMARKS:

Capacity: 40,000lbs

Main Frame: I-beam or 14 inch x 22 pounds.

Cross members: ~~6" Jr. I-Beams on 16" Centers,~~
 "No less than 4" Jr. I-Beams on 16" Centers" (Amendment #2)

Side Rail: ~~8" Deep Formed Steel Side Rails~~
 "No less than 7" Channel Deep formed Steel Side Rails" (Amendment #2)

Jack:
 50,000lbs minimum capacity.
 Dual, mounted at head board

Tires:
 Manufacturer's standard sized 16 ply with a full sized spare tire and rim.

Wheels: Heavy Duty, Dual Disc Wheels – 8 – Holes.

Axles: (2ea) 22,500lb minimum with Oil Sealed Hubs

Suspension: Heavy Duty Spring Suspension

ITEM NO.	DESCRIPTION	QTY	UOM	UNIT PRICE	PRICE EXTENSION
3.0	Zero Turn Mower Commercial Grade (Latest Model) As per the following specifications: _____	2	EA.	\$ _____	\$ _____

REQUISITION: Q20-1000-049

GENERALS:

These specifications have been written to describe **minimum** equipment, quality and performance requirements to be supplied by the equipment manufacturer bidding. Reasonable test may be conducted upon delivery before acceptance.

The successful bidder shall furnish all necessary and desirable information instructions for the proper operation of the equipment.

The government reserves the right to accept and/or reject any and all bids, to waive any defects, irregularities, or specification discrepancies and to award the bid as council deems to be in the best interest of the government.

Each vehicle\equipment shall be new /unused, current model year or later production. **Shall meet all applicable DOT\USEPA and OSHA Requirements for Guam.**

Each vehicle\equipment shall be supplied with all standard equipment and accessories indicated in manufacturer's published literature/brochure unless specifically deleted as stated in this specification. Optional equipment necessary to meet the requirements of this specification shall be installed.

Brand Names: Manufacturers' brands and stock/part numbers specified do not denote a preference for that make, but specify the level of quality and or performance necessary. Alternate brands found to be equal to or greater in quality and or performance to the brand specified may be accepted, however, the burden to prove equality shall rest with the bidder.

The subject specifications were drafted to allow for reasonable bid competition, however, needed to be tailored to meet the needs of the **Department of Public Works**. The minimum requirements specified were established through market research of product availability and capabilities with references and recommendations from local dealerships. The specifications were based on the following makes and models, therefore, bid proposals shall meet or exceed: **Husqvarna Z560X John Deere Z955M and TORO 6000 series.**

DISCREPANCIES LISTED:

Should any bidder have deviations from these specifications in this bid and cannot meet requirement of the specifications, he shall submit a letter and attach it to the bid explaining the deviations. Failure to do so will cause the bid to be rejected as being non-responsive.

SPECIFICATIONS:

Commercial Grade:

The design, materials and construction of the requested equipment shall be intended for commercial applications.

Engine:

Gasoline, ~~29~~ **27 HP** minimum.
Hour meter shall be provide.

Electrical System: 12 volt.

Fuel Tank Capacity:

~~40~~ **8.5** gallons minimum. Fuel tank shall be equipped with a shut-off valve.

BIDDING ON / REMARKS:

"Revised 10/07/20"

SPECIFICATIONS:

BIDDING ON / REMARKS:

Speed/Directional Controls: Two adjustable levers

Brakes:

Manufacturer's standard braking system with automatic or manually applied parking brake.

Tires/Wheels:

Manufacturer's standard size turf type drive wheels & tires. Flat-free front caster wheels shall be provided.

Forward Speed:

The requested equipment shall be capable or no less than ~~14~~ **10 MPH**.

Overall Width:

The total width of the equipment shall not exceed 65 inches; with the discharge chute folded upright.

Cutting Deck Features:

Cutting width - 60 inches minimum, 61 inches maximum.

Deck Thickness - 7 gauge ~~18~~ **.177** inches thick minimum.

Discharge:

No Tool, operator controlled baffle to allow for Mulching or side discharging type cutting.

Cutting Heights – Operator controlled adjustments from 1-5 inches.

Anti- scalp rollers:

Cutting deck shall be equipped with front and rear anti-scalp rollers.

Blade tip speed - Rated at ~~18,000~~ **17,800** FPM minimum

Discharge chute:

Shall be of flexible rubberized material and shall allow for upward movement to retract when transporting and or mulching.

Operator's Station:

Open foldable type ROPS and seat belt Rear fenders, operator's presence systems. To include all manufacture's standard features as stated in brochure.

Operators Seat:

The operator's seat shall be fully padded and adjustable and shall be equipped with padded armrest and a seat belt and the manufacture' standard or optional suspension isolation features to minimize impact of vibrations and or terrain conditions.

Overall Vehicle:

To include all manufacture's standard features as stated in brochure. Must meet all applicable DOT and OSHA requirements applicable to Guam for equipment in this class. (Any applicable safety and anti- vandalism options as stated in the manufacturer's brochure shall be provided).

Warranty:

~~Manufacturer's standard or extended,~~ **limited warranty shall apply.**
~~Shall be for a period of no less than 5 years/60 months or 1,500 hours.~~

Additional options:

Color: Standard
Amber beacon light (Flush mounted or magnetic)
Full tank of fuel.