



LOURDES A. LEON GUERRERO  
GOVERNOR (MAGA'HAGA)

JOSHUA F. TENORIO  
LIEUTENANT GOVERNOR  
(SIGUNDO MAGA'HAGA)

## DEPARTMENT OF ADMINISTRATION

### GENERAL SERVICES AGENCY

AHENSAN SETBISION HINIRAT  
148 ROUTE 1 SOUTH MARINE CORPS DRIVE, PITI, GU 96915  
TELEPHONE: (671) 475-1707/1708  
FAX: (671) 472-4217/1727

EMAIL: [GSAPROUREMENT@GSADOA.GUAM.GOV](mailto:GSAPROUREMENT@GSADOA.GUAM.GOV)  
WEBSITE: [WWW.GSA.DOA.GUAM.GOV](http://WWW.GSA.DOA.GUAM.GOV)



EDWARD M. BIRN  
DIRECTOR (DIREKTOT)

BERNADINE C. GINES  
DEPUTY DIRECTOR  
(SIGUNDO DIREKTOT)

July 15, 2022

### INVITATION FOR BID

**GSA-080-22**

**Remove and Replacement of Aluminum Garage Roll Up Door Shutter  
Guam Homeland Security/Office of Civil Defense  
AMENDMENT #2**

1. Amend and replace page 33 of 34 with attached **"Revised page 33 of 34 dated 7/15/2022"**

All others remain unchanged.

CLAUDIA S. ACFALLE  
Chief Procurement Officer

Please Print

Acknowledgement Copy (Re-Fax to GSA)

Received By: \_\_\_\_\_

Date: \_\_\_\_\_

Company Name: \_\_\_\_\_

**Fax to: 475-1727 or 472-4217**

**Email to: [gsaprourement@gsadoa.guam.gov](mailto:gsaprourement@gsadoa.guam.gov)**

ITEM NO.	DESCRIPTION	QTY./UOM		UNIT PRICE	PRICE EXTENSION
1.0	Remove & Replacement of 5 ea Garage Roll up Size 12'x14' (ft) Aluminum Roll Up Door Shutter	5	EACH	\$	\$

SCOPE OF WORK:

- Per door; 1 thru 5 each
- Typhoon rated heavy duty Aluminum roll up door
  - Typhoon rated heavy duty Aluminum hood cover
  - Between jamb mount configuration
  - Heavy duty aluminum bottom track @bottom astragal
  - Hood baffle, wall guide weather stripping
  - Windlocks & endlocks on every other slat for typhoon wind loads
  - 170 mph windload design
  - 2 inch x 3 inch tube extension / 3 inch x 3 inch tube operation side
  - ¾ HP (115V 60HZ, 1PH) model GH Lift Master motor & 3 button Switch (open / close / stop) ) **\*must have the ability to be manually operated should there be power loss during emergency activation**
  - All labor, materials, and equipment must be **INCLUSIVE** to complete the scope of work in pricing
  - Must include disposal

Warranty: One (1) year Parts & Labor

BIDDING ON / REMARKS:

Bidding On:

Manufacturer: \_\_\_\_\_  
Make: \_\_\_\_\_  
Place of Origin: \_\_\_\_\_  
Date of Delivery: \_\_\_\_\_

2.0	Remove & Replace Garage Roll up Door Size 14'x15' (ft) Aluminum Roll Up Door Shutter	1	EACH	\$	\$
-----	--	---	------	----	----

SCOPE OF WORK:

- Per door; 1 each
- Typhoon rated heavy duty Aluminum roll up door
  - Typhoon rated heavy duty Aluminum hood cover
  - Between jamb mount configuration
  - Heavy duty aluminum bottom track @bottom astragal
  - Hood baffle, wall guide weather stripping
  - Windlocks & endlocks on every other slat for typhoon wind loads
  - 170 h windload design
  - 2 inch x 3 inch tube extension / 3 inch x 3 inch tube operation side
  - HP (115V 60HZ, 1PH) model GH Lift Master motor & 3 button Switch (open / close / stop) **\*must have the ability to be manually operated should there be power loss during emergency activation**
  - All labor, materials, and equipment must be **INCLUSIVE** to complete the scope of work
  - Must include disposal

Warranty: One (1) year Parts & Labor

BIDDING ON / REMARKS:

Bidding On:

Manufacturer: \_\_\_\_\_  
Make: \_\_\_\_\_  
Place of Origin: \_\_\_\_\_  
Date of Delivery: \_\_\_\_\_

**GENERAL REQUIREMENTS:** These specifications have been written to describe the minimum equipment & performance requirements to be supplied by the bidder responding to this IFB. The Government of Guam may conduct reasonable test upon delivery and before acceptance. The successful bidder shall furnish all information and instructions for the proper operation of the equipment supplied.

The government reserves the right to accept and/or reject any all bids, to waive any defects, irregularities, or specifications discrepancies and to award the bid as council deems to in the best interest of the government.

**Discrepancies Listed:** Should the bidder have deviations from these specifications in his/her bid and cannot meet every requirement of the specification, he shall submit a letter and attach it to the bid explaining the deviations for evaluation purposes.

These specifications have been developed and approved by the staff of Office of Homeland Security/Office of Civil Defense, prepared by Marie T. Quenga, ASO, and Approved by Samantha J. Brennan, GHS Advisor.