



EDWARD M. BIRN
Director (Direktot)
RENA K. BORJA
Deputy Director (Sigundo Direktot)

**DEPARTMENT OF
ADMINISTRATION**
DIPATTAMENTON ATMENESTRASION
GENERAL SERVICES AGENCY
(Ahension Setbision Hinirat)
Telephone (Telifon): (671) 475-1705/1706



LOURDES A. LEON GUERRERO
Governor (Maga'håga)
JOSHUA F. TENORIO
Lt. Governor (Sigundo Maga'låhi)

October 5, 2026

Invitation for Bid
GSA-056-26

AMENDMENT #3
Heavy-Duty Gun Safe

- 1.) Amend and replace pages 46 through 47 with the attached "Revised pages 46 through 47" dated 10/5/2026.


for Andriana Quitugua
Chief Procurement Officer

Please Print
ACKNOWLEDGMENT COPY
Received By: _____
Date: _____
Company/Name: _____
Email To: bids@gsadoa.guam.gov

Bid Form

Item No.	Description	QTY	UOM	Unit Price	Total
1.1	Heavy-Duty Gun Safe As per the following specifications:	20	Each	\$ _____	\$ _____

General Requirements:

These specifications have been written to describe the minimum performance requirements to be supplied by the vendor responding to this Invitation for Bid (IFB).

The successful bidder shall furnish all information and instructions.

The successful bidder shall ensure that they comply with all federal grant procurement requirements for the FY2022-FY2023 State Crisis Intervention Program (SCIP).

***Bidders must clearly indicate compliance with all listed specifications/requirements in the "Bidding On/Remarks" column. Specifications marked with an asterisk (*) must be clearly demonstrated in the manufacturer's product sheet, brochure, or descriptive literature submitted with the bid. Failure to adequately demonstrate compliance may render the bid non-responsive and subject to rejection.**

Code of Federal Regulations (CFR) Part 200 §200.322 Domestic Preferences for Procurements.

(a) The recipient or subrecipient should, to the greatest extent practicable and consistent with law, provide a preference for the purchase, acquisition, or use of goods, products, or materials produced in the United States (including but not limited to iron, aluminum, steel, cement, and other manufactured products). The requirements of this section must be included in all subawards, contracts, and purchase orders under Federal awards.

SPECIFICATIONS

BIDDING ON / REMARKS

Gun Safe Construction and Storage

Design: Must be a freestanding, heavy-duty unit capable of being floor-anchored.*

Material: Must be heavy-duty steel or equivalent structural material.*

Minimum Steel Thickness:

The safe shall be constructed of steel with a minimum thickness of 16 gauge for the safe body and 16 gauge for the door. The bidder shall identify the actual steel thickness and gauge for the body, door, frame, and structural reinforcements in the bid response.*

No material thinner than the specified minimum shall be acceptable. Bidders shall provide manufacturer's documentation verifying compliance with the specified material thickness.*

Size and Capacity:

Safe dimensions shall be approximately 60 inches in height, 36 inches in width, and 24 inches in depth. Variations in dimensions of up to 4 inches may be acceptable, provided the safe is designed to securely store a minimum of forty (40) long guns measuring up to 44 inches in overall length without requiring disassembly and a minimum of eight (8) hand guns. Interior must be configured for high-capacity storage.

Shelving: Must include modular shelving and door-mounted storage for organized inventory.*

Fire Protection and Security

Locking Mechanism (Minimum Requirements): The safe shall be equipped with a secure locking mechanism consisting of a mechanical combination dial. All proposed locking mechanisms shall be factory-installed and suitable for the safe’s intended security application. Manufacturer documentation shall be provided upon request to verify compliance.*

Fire Rating: Fire rating of 30 mins at 1200 degrees Fahrenheit or greater. Must be certified by manufacturer or independent lab test.*

Seals: Safe shall be equipped with a continuous, factory-installed, heat-activated seal around the door to limit the passage of heat and smoke. The seal shall be tested and rated for the safe’s specified fire-resistance classification. Bidder shall identify the seal type and applicable rating or certification.*

Bolts: Bidder must provide technical details on the quantity and diameter of the locking bolts.*

Defenses: Must include details on internal relockers and hardened anti-drill plates.*

Installation and Service:

Installation: Must include on-site delivery and freestanding placement at the Guam Police Department. Unit must be leveled and securely anchored.

Warranty:

The successful bidder shall provide a minimum warranty of one (1) year, covering manufacturer defects, upon completion of installation and final acceptance by the using agency.

Specify terms of any additional manufacturer warranty provided.

Bidding On:

Manufacturer: _____

Make/Model: _____

Place of Origin: _____

Date of Delivery: _____

Funded by: FY2022-2023 State Crisis Intervention Program (SCIP)

These specifications have been developed by Lt. Michael Arcangel, Guam Police Department Forensic Science Division, and approved by Joseph S. Carbullido, Acting Chief of Police.